Valve Products







Inline has been supplying innovative valve solutions to the process industry for over twenty-five years. Our extensive line of ball valves is widely recognized for innovative design, reliable performance and exceptional

value. Inline valves are designed and tested to the industry's highest standards, supported by

knowledgeable and responsive technical sales professionals, and are usually available from stock from the large inventory we maintain for your just-in-time needs.





Innovation

Inline is committed to developing industry-leading process solutions. We introduced high-cycle ISO 5211 direct mount technology to the U.S. market — a design now used industry-wide.

Innovations like this are a corner-stone of the Inline design philosophy. Our line of firesafe, control, multi-port and high purity ball valves carries on this tradition. Coupled with our custom engineered products, we provide system designers with more process control options than ever before.

Reliability

Inline designs, builds and tests valves to a wide range of national and international standards including ASME B16.34, BPE, 3-A,




NSF/ANSI 61 & 372, and NACE. Our ISO 9001:2015 quality control process insures that the products we supply are tested and ready for service.



Inline is a licensed 3-A Symbol holder, is certified to use the CE marking for EU markets, and carries validated CRN numbers for Canada.

Consistent Performance



Inline valves provide long-lasting, trouble-free service with live-loaded, high-cycle stem seals standard on a wide range of high performance valves for high purity, high pressure, high temperature, vacuum, and many other process applications. As

a manufacturer, we provide customers with these

same high quality products year after year and, when it finally comes time to replace worn parts, we have repair kits that fit.



Product Support

We stand behind our products with a responsive sales and technical support team ready to assist you with product information, pricing, valve selection and automation.



Detailed technical drawings and test reports are readily available for all of your system design and documentation needs. Current product information can be found on our website at www.ballvalve.com.

Product Index

Valves

Air Safety Exhaust Valve4
Biopharmaceutical6
Control Valve4
Custom Fabrication4
Direct Mount Actuation9
Diverter & Multiport7
Firesafe3
General Service8
High Alloy5
High Purity6
High Temperature4
Industrial3
Instrumentation5
Manual Actuation & Accessories9
Sanitary6
Tank Bottom6,7
Tube Compression5
Automation and Control

Pneumatic1	(
Electric1	(
Modulation and Control1	(

For Detailed Product Information Please Visit www.ballvalve.com

Industrial



1-Piece Flanged Ball Valve

Standard Port 2" to 6" ANSI Class 150/300 A351 Gr. CF8M, A216 Gr. WCB Seats: TFM / RTFE (15% CF) RF Flg 150/300



2-Piece Flanged Ball Valve

Full Port 1/2" to 12" ANSI Class 150/300 A351 Gr. CF8M, A216 Gr. WCB Seats: TFM / RTFE (15% CF) Ends: RF Flg 150/300



3-Piece Ball Valve

Full Port 1/4" to 3" Up to 1000 PSI CWP . A351 Gr. CF8M, A216 Gr. WCB Seats: TFM / RTFE (15% GF)

NPT, BW Sch 5/10/40, SW, RF Flg 150/300, Grv, Compr, Tk Bottom



3-Piece Ball Valve

Full Port 1/4" to 4" Up to 1000 PSI CWP

A351 Gr. CF8M, WCB (Ends Only) Seats: TFM / RTFE (15% CF)

NPT, BW Sch 5/10/40, SW, RF Flg 150/300, Grv, Compr, Tk Bottom



3-Piece Ball Valve

Full / Standard Port 1/4" to 2-1/2" Up to ANSI Class 900 A351 Gr. CF8M, A216 Gr. WCB Seats: TFM / RTFE (15% CF) NPT, BW Sch 5/10/40/80,

SW, Compr, Tk Bottom, Grv, RF Flg 150-900



Diverter Ball Valve

Full / Standard Port 1/4" to 2-1/2" Up to ANSI Class 900 A351 Gr. CF8M

Seats: TFM Ends: NPT, BW Sch 5/10/40/80,

SW, Grv, Compr, RF Flg 150-900



3/4/5-Way Ball Valve

Full Port 1/4" to 4" Up to 1000 PSI CWP A351 Gr. CF8M

Seats: TFM / RTFE (15% CF) Ends: NPT, BW Sch 5/10/40,

SW, Grv



3/4/5-Way Flanged Ball Valve

Full Port 1/2" to 6" ANSI Class 150/300 A351 Gr. CF8M

Seats: TFM / RTFE (15% CF) Ends: RF Flg 150/300

Firesafe



1-Piece Flanged Firesafe **Ball Valve**

Standard Port 2" to 4" ANSI Class 150 A351 Gr. CF8M, A216 Gr. WCB Seats: TFM / RTFE (15% CF) Ends: RF Flg 150



3-Piece Firesafe Ball Valve

Full / Standard Port 1/4" to 2-1/2" Up to ANSI Class 900 . A351 Gr. CF8M, A216 Gr. WCB Seats: TFM

NPT, BW Sch 5/10/40/80, Ends: SW, Compr, Tk Bottom, Grv, RF Flg 150-900



3-Piece Firesafe **Ball Valve**

Tube Full Port 1/4" to 2" Up to ANSI Class 900 . A351 Gr. CF8M Seats: TFM

CL, Tube OD BW, Ends: Ext Tube OD BW, KF,

Tk Bottom



3-Piece Firesafe **Ball Valve**

Full / Standard Port 1/4" to 2-1/2" Up to 4000 PSI CWP . A351 Gr. CF8M, A216 Gr. WCB Seats: Delrin AF

NPT, SW, BW Sch 80, Ends: SAE, Compr, RF Flg 150-1500

Special Service

Air Safety Exhaust Valve



202F - ASEV 2-Piece Ball Valve

Full Port 1/4" to 2" 150 PSI CWP A351 Gr. CF8M, A216 Gr. WCB

Seats: TFM / RTFE (15% GF)

Ends: NPT



204F - ASEV 2-Piece Ball Valve

Full Port 1/4" to 2" 150 PSI CWP A351 Gr. CF8M

Seats: TFM / RTFE (15% CF)

NPT Fnds:



302F - ASEV 3-Piece Ball Valve

Full Port 1/4" to 2" 150 PSI CWP

A351 Gr. CF8M, A216 Gr. WCB Seats: TFM / RTFE (15% GF)

NPT, BW Sch 5/10/40, SW, Grv, Compr, RF Flg 150



304F - ASEV 3-Piece Ball Valve

Full Port 1/4" to 2" 150 PSI CWP A351 Gr. CF8M

Seats: TFM / RTFE (15% CF) NPT, BW Sch 5/10/40, SW, Grv, Compr,

RF Flg 150

Control Valve



324/342 (Firesafe) 3-Piece V-Seat Control Valve

Full / Standard Port 1/4" to 2-1/2" 1440 PSI CWP (500 PSI Max ΔP) A351 Gr. CF8M, A216 Gr. WCB Seats: Infill x 30°, 60°, 1/8" Slotted Ends: NPT, BW Sch 5/10/40/80,

SW, Grv, Compr, RF Flg 150/300



3-Piece V-Ball Control Valve

Full Port 1/2" to 4"

Up to 1000 PSI CWP

A351 Gr. CF8M, WCB (Ends Only)

Seats: TFM / Infill Ends:

NPT, BW Sch 5/10/40, SW, RF Flg 150/300



2-Piece V-Ball Control Valve

Full Port 1/2" to 4"

ANSI Class 150/300 A351 Gr. CF8M, A216 Gr. WCB

Seats: TFM / Infill Ends: RF Flg 150/300



3-Piece V-Ball Control Valve

Tube Full Port 1/2" to 4" Up to 1000 PSI CWP A351 Gr. CF8M, CF3M

Seats: TFM

CL, Tube OD BW, Ends: Ext Tube OD BW, Compr, KF

High Temperature



334/344 (Firesafe) 3-Piece Ball Valve

Full / Standard Port 1/4" to 2-1/2" Up to ANSI Class 900 A351 Gr. CF8M, A216 Gr. WCB

Seats: Infill

Ends: NPT, BW Sch 5/10/40/80,

SW, Grv, Compr



336/346 (Firesafe) 3-Piece Ball Valve


Full / Standard Port 1/4" to 2-1/2" Up to 4000 PSI CWP A351 Gr. CF8M, A216 Gr. WCB

Seats: PEEK

NPT, BW Sch 5/10/40/80, Ends: SW, Grv, Compr

Custom Fabrication





- Double Block and Bleed
- Manifolds
- Special End Connections
- Steam-Jackets
- Stem Extensions





Special Service Cont'd

Tube Compression/Instrumentation



302C 3-Piece Ball Valve

Full Port 1/4" to 1" Up to 1000 PSI CWP A351 Gr. CF8M

Seats: TFM / RTFE (15% GF)

Ends: Compression



304C 3-Piece Ball Valve

Full Port 1/4" to 1" Up to 1000 PSI CWP A351 Gr. CF8M

Seats: TFM / RTFE (15% CF)

Ends: Compression



317C 3-Piece Ball Valve

Tube Full Port
1/4" to 1"
Up to 1000 PSI CWP
A351 Gr. CF8M
Seats: PTFE
Ends: Compression

334C/344C (Firesafe) 3-Piece Ball Valve

Standard Port 1/4" to 1" Up to ANSI Class 900 A351 Gr. CE8M

A351 Gr. CF8M Seats: TFM / RTFE (15% CF)

Ends: Compression



336C/346C (Firesafe) 3-Piece Ball Valve

Standard Port 1/4" to 1" Up to 4000 PSI CWP A351 Gr. CF8M Seats: Delrin AF Ends: Compression



337C 3-Piece Ball Valve

Tube Full Port 1/4" to 1" Up to 1000 PSI CWP A351 Gr. CF3M Seats: TFM Ends: Compression



364C Multi-Port Ball Valve

Standard Port 1/4" to 1" Up to ANSI Class 900 A351 Gr. CF8M Seats: TFM Ends: Compression



507C Multi-Port Ball Valve

Full Port
1/4" to 1"
Up to 1000 PSI CWP
A351 Gr. CF8M
Seats: TFM
Ends: Compression





104R 1-Piece Ball Valve

Reduced Port 1/4"x1/4" to 1/2"x1/2" 800 PSI CWP A351 Gr. CF8M Seats: PTFE Ends: FNPT x MNPT



908 Needle Valve

1/4" to 1" Up to 6000 PSI CWP 316SS, Carbon Steel Ends: NPT



289F 2-Piece High Alloy Ball Valve

Full Port 1/2" to 12" ANSI Class 150/300 Alloy-C (CW12MW), Alloy 20, 254 SMO

Seats: TFM

Ends: RF Flg 150/300 (Minimum Quantities Apply)



384 3-Piece High Alloy Ball Valve

Full / Standard Port 1/4" to 2-1/2" Up to 2000 PSI CWP Alloy-C (CW12MW), Alloy 20, 254 SMO

Seats: TFM Ends: NPT, SW

Special Service Cont'd

Biopharmaceutical / High Purity / Sanitary



3-Piece Ball Valve

Tube Full Port 1/2" to 4" Up to 1000 PSI CWP A351 Gr. CF8M Seats:

CL. Tube OD BW. Ends: Ext Tube OD BW, I-Line,



3-Piece Ball Valve

Tube Full Port 1/4" to 6" Up to 1000 PSI CWP A351 Gr. CF8M Seats:

CL. Tube OD BW. Ends: Ext Tube OD BW, I-Line, Compr, Tk Bottom, KF



334T/344T (Firesafe) 3-Piece Ball Valve

Tube Full Port 1/4" to 2" Up to 3600 PSI CWP A351 Gr. CF8M

Seats:

CL. Tube OD BW. Ends: Ext Tube OD BW, Compr, Tk Bottom, KF



3-Piece Ball Valve

Tube Full Port 1/4" to 4" Up to 1000 PSI CWP A351 Gr. CF3M

Seats:

CL. Tube OD BW. Ends: Ext Tube OD BW, Compr, Tk Bottom, KF



3-Piece Lateral Ball Valve

Tube Full Port 1" to 6" Up to 1000 PSI CWP A351 Gr. CF8M Seats: TFM

Tube OD BW, KF,

Ext Tube OD BW, I-Line, Compr, RF Flg 150/300



3-Piece Diverter Ball Valve

Tube Full Port 1/2" to 2" Up to 1000 PSI CWP A351 Gr. CF8M TFM Seats:

CL, Tube OD BW, Ext Tube OD BW, Compr



3-Piece Ball Valve

Tube Full Port 1/4" to 4" Up to 1000 PSI CWP A351 Gr. CF8M Seats: TFM

CL, Tube OD BW, Ext Tube OD BW, I-Line, Compr, Tk Bottom, KF



3/4/5-Way Ball Valve

Full Port 1/2" to 4" Up to 1000 PSI CWP A351 Gr. CF8M TFM Seats:

CL, Tube OD BW, Ext Tube OD BW,

Compr

Tank Bottom



Sanitary Butterfly Valve

Tube Full Port 1" to 4" Up to 150 PSI CWP A351 Gr. CF8

Silicone, Viton, EPDM CL. Tube OD BW. I-Line. Fnds: **Bevel Seat Thread**



Sanitary Butterfly Valve

Tube Full Port 1" to 6" Up to 150 PSI CWP A351 Gr. CF8M

Silicone, Viton, EPDM CL. Tube OD BW. I-Line. Ends: **Bevel Seat Thread**



3-Piece Ball Valve

Full Port 1" to 3" Up to 1000 PSI CWP A351 Gr. CF8M, A216 Gr. WCB TFM / RTFE (15% GF) Tk Bottom x NPT,

BW Sch 5/10/40, SW, RF Flg 150/300, Grv, Compr



3-Piece Ball Valve

Full Port 1" to 4" Up to 1000 PSI CWP A351 Gr. CF8M

TFM / RTFE (15% CF) Tk Bottom x NPT. BW Sch 5/10/40, SW, RF Flg 150/300, Grv,

Compr

Special Service Cont'd

Tank Bottom Cont'd



317F 3-Piece Ball Valve

Tube Full Port 1" to 6" Up to 1000 PSI CWP A351 Gr. CF8M Seats: PTFE

nds: Tk Bottom x CL, Tube OD BW, KF, Ext Tube OD BW, I-Line, Compr, RF Flg 150/300



334T/344T (Firesafe) 3-Piece Ball Valve

Tube Full Port 1" to 2" Up to ANSI Class 900 A351 Gr. CF8M Seats: TFM

Fnds:

Tk Bottom x CL, Tube OD BW, Ext Tube OD BW, Compr, RF Flg 150-900, KF



334/344 (Firesafe)
3-Piece Ball Valve
Full / Standard Port

1", 1-1/2", 2" Up to ANSI Class 900 A351 Gr. CF8M, A216 Gr. WCB Seats: TFM / RTFE (15% CF) Ends: Tk Bottom x NPT,

BW Sch 5/10/40, SW, Grv, Compr, RF Flg 150-900



337F 3-Piece Ball Valve

Tube Full Port 1" to 4" Up to 1000 PSI CWP A351 Gr. CF3M

Seats: TFM Ends: Tank Bottom x CL,

Tube OD BW, Ext Tube OD BW, I-Line, Compr, NPT, RF Flg 150/300, KF

Diverter & Multiport



364 3-Piece Diverter Ball Valve

Full / Standard Port 1/4" to 2-1/2" Up to Class 900 A351 Gr. CF8M

Seats: TFM / RTFE (15% CF)
Ends: NPT, BW Sch 5/10/40/80,
SW, RF Flg 150-900, Grv,

Compr

3/4/5-Way Ball Valve

Up to 1000 PSI CWP

SW. Grv

TFM / RTFE (15% CF)

NPT, BW Sch 5/10/40,

A351 Gr. CF8M

Full Port

1/4" to 4"

Seats:



367F 3-Piece Diverter Ball Valve

Tube Full Port 1/2" to 2" Up to 1000 PSI CWP A351 Gr. CF8M Seats: TFM

Ends: CL, Tube OD BW, Ext Tube OD BW, Compr,

I-Line



502S Diverter Ball Valve

Standard Port 1/2" to 2" Up to 1000 PSI CWP A351 Gr. CF8M Seats: RTFE (15% GF)

Ends: NPT

503 3-Way Ball Valve Full / Standard Port 1/4" to 2" Up to 1000 PSI CWP A351 Gr. CF8M

NPT

Seats:

Ends:

507F 3/4/5-Way Ball Valve

Full Port 1/2" to 4" Up to 1000 PSI CWP A351 Gr. CF8M Seats: TFM

Ends: CL, Tube OD BW, Ext Tube OD BW. Compr



509F 3/4/5-Way Flanged Ball Valve

Full Port 1/2" to 4" ANSI Class 150/300 A351 Gr. CF8M (316) Seats: TFM / RTFE (15% CF)

Ends: RF Flg 150/300



RTFE (15% CF)

514 3-Way Ball Valve

Full / Standard Port 1/4" to 2" Up to 1000 PSI CWP A351 Gr. CF8M

Seats: TFM / RTFE (15% CF) Ends: NPT

7

General Service



101R 1-Piece Ball Valve

Reduced Port 1/4" to 2" 800 PSI CWP A351 Gr. CF8M (316) Seats: PTFE Ends: NPT



102R 1-Piece Ball Valve

Reduced Port 1/4" to 2" 2000 PSI CWP A351 Gr. CF8M (316) Seats: RTFE (15% GF) Ends: NPT



103R 1-Piece Ball Valve

Reduced Port 1/4" to 2" 2000 PSI CWP S25C - CS

Seats: RTFE (15% GF)

Ends: NPT



104R 1-Piece Ball Valve

Reduced Port 1/4" x 1/4" to 1/2" x 1/2" 800 PSI CWP A351 Gr. CF8M Seats: PTFE Ends: FNPT x MNPT



201F 2-Piece Ball Valve

Full Port 1/4" to 3" Up to 2000 PSI CWP A351 Gr. CF8M, A216 Gr. WCB Seats: TFM / RTFE (15% CF)

Ends: NPT



201S 2-Piece Ball Valve

Standard Port 1/4" to 2" Up to 2000 PSI CWP A351 Gr. CF8M Seats: RTFE (15% GF)

Ends: NPT



202F 2-Piece Ball Valve

Full Port 1/4" to 2" Up to 1000 PSI CWP A351 Gr. CF8M, A216 Gr. WCB Seats: TFM / RTFE (15% GF)

Ends: NPT



302F 3-Piece Ball Valve

Full Port 1/4" to 3" Up to 1000 PSI CWP

A351 Gr. CF8M, A216 Gr. WCB
Seats: TFM / RTFE (15% GF)
Ends: NPT, BW Sch 5/10/40,
SW, RF Flg 150/300,
Grv, Compr, Tk Bottom



904/906 Y-Strainer / Swing Check Valve

1/2" to 2" 600 PSI CWP (904) 200 PSI CWP (906) A351 Gr. CF8 Ends: NPT



905/907 Gate Valve / Globe Valve

1/2" to 2" 200 PSI CWP A351 Gr. CF8M Ends: NPT

Available Seat Materials

- TFM (Modified PTFE)
- 15% Carbon Filled PTFE
- Delrin®AF (PTFE Filled Acetal Homopolymer)
- 50% 316SS Filled PTFE
- PTFE and Carbon Filled PEEK
- 15% Glass Filled PTFE
- Infill (Proprietary Filled PTFE)
- PTFE
- UHMWPE
- PCTFE
- Metal

Seat Options

- Cavity Fillers
- 1-Piece Seat/Seal
- Control Seats
- Spring Loaded

Direct Mount Actuation



204F 2-Piece Ball Valve

Full Port 1/4" to 3" Up to 1000 PSI CWP A351 Gr. CF8M

Seats: TFM / RTFE (15% CF)

Ends: NPT



304F 3-Piece Ball Valve

Full Port 1/4" to 4"

Up to 1000 PSI CWP

A351 Gr. CF8M, WCB (Ends Only) Seats: TFM / RTFE (15% CF) Ends: NPT, BW Sch 5/10/40,

SW, RF Flg 150/300, Grv, Compr, Tk Bottom

334/344 (Firesafe) 3-Piece Ball Valve

Full / Standard Port 1/4" to 2-1/2" Up to Class 900

A351 Gr. CF8M, A216 Gr. WCB Seats: TFM / RTFE (15% CF)

Ends: NPT, BW Sch 5/10/40/80, SW, Compr, Tk Bottom, Grv, RF Flg 150-900



334T/344T (Firesafe) 3-Piece Ball Valve

Tube Full Port 1/2" to 2" Up to ANSI Class 900

A351 Gr. CF8M Seats: TFM

Ends: CL, Tube OD BW, Ext Tube OD BW, I-Line, Tk Bottom,

Compr, KF



337F 3-Piece Ball Valve

Tube Full Port 1/4" to 4" Up to 1000 PSI CWP A351 Gr. CF3M Seats: TFM

Ends: CL, Tube OD BW,
Ext Tube OD BW, Compr,

Tk Bottom, KF



364 Diverter Ball Valve

Full / Standard Port 1/4" to 2-1/2" Up to Class 900 A351 Gr. CF8M

Seats: TFM / RTFE (15% CF) Ends: NPT, BW Sch 5/10/40/80,

SW, Grv, Compr, RF Flg 150-900



367F 3-Piece Diverter Ball Valve

Tube Full Port 1/2" to 2" Up to 1000 PSI CWP A351 Gr. CF8M Seats: TFM

Ends: CL, Tube OD BW Ext Tube OD BW, Compr



384 3-Piece High Alloy Ball Valve

Full / Standard Port 1/4" to 2-1/2" Class 900 Alloy-C (CW12MW)

Seats: TFM Ends: NPT, SW

Manual Actuation & Accessories



3-Way Ball Valve

Full / Standard Port 1/4" to 2" Up to 1000 PSI CWP A351 Gr. CF8M (316) Seats: TFM / RTFE (15% CF)


Ends: NPT



Spring Return & Oval Handle



Gear Operator



Valve Position Indicator

Automation and Control

Pneumatic



- Design : 2- and 4-Piston Rack & Pinion, Sanitary (Butterfly Valve)
- Type: Double Acting and Spring Return
- Torque Range: Outputs to over 36,000 in/lbs
- Mounting: ISO 5211 and NAMUR
- Construction: Hard Anodized Aluminum, Stainless Steel
- Options/Accessories: Epoxy Coating, Nickel Plating, Stem Extensions, Mounting Kits,

Limit Switches, Proximity Switches, Visual Indicators,

Solenoid Valves, Positioners, Fusible Links

Electric



• Torque Range : Outputs to 5,735 in/lbs

Voltage: 12V AC/DC, 24V AC/DC, 110V AC, 220V AC, 1- or 3-Phase

• Duty Cycle: 30%, 75%, and 100%

• Modulating Signals: Input - 4-20mA Output - 4-20mA 1-5V

2-10V

2-10V

• Enclosure: NEMA 4/4X, 7

Options/Accessories: Stem Extensions, Mounting Kits, Modulating Control Boards,

Additional Switches, Heaters, Thermostats, Spring Return

Modulation and Control



- Type: Pneumatic, Electro Pneumatic, Digital
- Modulating Signals : Electric Input -4-20mA **Pneumatic Input -**

1-5V 3-15 psi Instrument Air

2-10V

Electric Output - 4-20mA

2-10V

Options/Accessories: Stem Extensions, Mounting Kits, Heaters, Thermostats,

Inline stocks an extensive inventory of valves, actuators, and accessories for immediate delivery.

For product information and pricing

Email: info@ballvalve.com

Phone: 800-568-8998



Quality and Reliability - Every Time

Distributed by:



INLINE INDUSTRIES, INC.

9056 Garvey Avenue Rosemead, CA 91770

Tel: (800) 568-8998 (626) 813-6188

(626) 813-6188 Fax: (626) 813-6186 www.ballvalve.com info@ballvalve.com