




300UTAZM 300UTAZM-FS




MATERIAL LIST

No.	Name of Parts	Materials
1	BODY	A351 Gr. CF8M
3	STEM	A276 TYPE316
4	BALL	A276 TYPE316 or A351 Gr. CF8M
7	GLAND	A351 Gr. CF8
8	GLAND PACKING	300UTAZM PTFE
	300UTAZM-FS	
		FLEXIBLE GRAPHITE
9	HANDLE	DUCTILE IRON
16A	NAME PLATE	STAINLESS STEEL
16B	LEV PLATE	STAINLESS STEEL
19A	GASKET	PTFE
19B	GASKET	300UTAZM-FS FLEXIBLE GRAPHITE
20	PACKING WASHER	A276 TYPE316L
29	INSERT	A351 Gr. CF8M or A182 Gr. F316 or A276 TYPE316
30	BALL SEAT	HYPATITE® PTFE
36	GLAND BOLT	STAINLESS STEEL
40	KEYLOCK PLATE	STAINLESS STEEL
43	HANDLELOCK PLATE	STAINLESS STEEL
48	SNAP RING	STAINLESS STEEL
49	STOPPER	STAINLESS STEEL
51	STOPPER PLATE	STAINLESS STEEL
57	GLAND BUSHING	G/F PTFE
58	GLAND WASHER	A276 TYPE304
67	STEM BEARING	G/F PTFE
123	HANDLELOCK PLATE BOLT	STAINLESS STEEL
124	SPRING & PIN	A313 & A276 TYPE316
126	STOPPER PLATE BOLT	STAINLESS STEEL
145	CONED DISC SPRINGS	INCONEL® 718 or EQUIVALENT
216A	CE PLATE	STAINLESS STEEL
216B	ATEX PLATE	STAINLESS STEEL

NOTE

(1) Dimensions A and B are in accordance with CAPI F03-S



DIMENSIONS

Unit : inch

Nominal Size		End Flange											Mounting Dimensions for Actuator											ISO 5211 Flange Type
in.	mm	d	d1	H	D1	L	D	Bolt Hole			Bolt Size			A	B	E	F	G	K	T	M			
								C	No.	h														
1/2	15	0.49	0.39	3.62	5.12	5.50	3.75	2.62	4	0.62	1/2	1.38	0.56	0.06	0.276	0.394	0.985	1.417	0.33	0.71	0.04	M5	F03(1)	
3/4	20	0.75	0.49	3.74	5.12	6.00	4.62	3.25	4	0.75	5/8	1.69	0.62	0.06	0.276	0.394	0.985	1.417	0.33	0.71	0.04	M5	F03(1)	
1	25	0.98	0.69	4.33	5.12	6.50	4.88	3.50	4	0.75	5/8	2.00	0.69	0.06	0.355	0.473	0.985	1.417	0.35	0.87	0.04	M5	F03	





300UTAZM 300UTAZM-FS

MATERIAL LIST


No.	Name of Parts	Materials
1	BODY	A351 Gr. CF8M
3	STEM	A276 TYPE316
4	BALL	A276 TYPE316 or A351 Gr. CF8M
7	GLAND	A351 Gr. CF8
8	GLAND PACKING	300UTAZM
		PTFE
		300UTAZM-FS
		FLEXIBLE GRAPHITE
9	HANDLE	DUCTILE IRON(UP TO SIZE 4)
9A	HANDLE BAR	CARBON STEEL(SIZE 6& OVER)
9B	HANDLE HEAD	DUCTILE IRON(SIZE 6& OVER)
16A	NAME PLATE	STAINLESS STEEL
16B	LEV PLATE	STAINLESS STEEL
19A	GASKET	PTFE
19B		300UTAZM-FS
		FLEXIBLE GRAPHITE
20	PACKING WASHER	A276 TYPE316L(SIZE 1 1/2 ONLY)
29	INSERT	A351 Gr. CF8M or A182 Gr. F316 or A276 TYPE316
30	BALL SEAT	HYPATITE® PTFE
36	GLAND BOLT	STAINLESS STEEL
40	KEYLOCK PLATE	STAINLESS STEEL
43	HANDLELOCK PLATE	STAINLESS STEEL
48	SNAP RING	STAINLESS STEEL
49	STOPPER	STAINLESS STEEL
51	STOPPER PLATE	STAINLESS STEEL
57	GLAND BUSHING	G/F PTFE
58	GLAND WASHER	A276 TYPE304
67	STEM BEARING	G/F PTFE
123A	HANDLELOCK PLATE BOLT	STAINLESS STEEL
123B	HANDLE BOLT	STAINLESS STEEL
124	SPRING & PIN	A313 & A276 TYPE316
126	STOPPER PLATE BOLT	STAINLESS STEEL
145	CONED DISC SPRINGS	INCONEL® 718 or EQUIVALENT
216A	CE PLATE	STAINLESS STEEL
216B	ATEX PLATE	STAINLESS STEEL

NOTE

(1) Dimensions A and B are in accordance with CAPI F03-5



SIZE 6 & OVER



SIZE 1 1/2 ONLY


DIMENSIONS

Unit : inch

Nominal Size		d	d1	H	D1	L	End Flange								Mounting Dimensions for Actuator									
							D	Bolt Hole			Bolt Size	g	t	f	A	B	E	F	G	K	T	M	ISO 5211 Flange Type	
								C	No.	h														
1 1/2	40	1.50	1.18	5.00	6.30	7.5	6.12	4.50	4	0.88	3/4	2.88	0.81	0.06	0.552	0.709	1.378	1.969	0.55	1.18	0.06	M6	F05	
2	50	2.00	1.50	5.28	9.06	8.5	6.50	5.00	8	0.75	5/8	3.62	0.88	0.06	0.670	0.867	2.166	2.756	0.67	1.34	0.06	M8	F07	
3	80	3.00	2.28	6.81	15.75	11.12	8.25	6.62	8	0.88	3/4	5.00	1.12	0.06	0.867	1.103	2.756	4.016	0.87	1.77	0.08	M10	F10	
4	100	4.00	3.00	7.44	15.75	12.0	10.00	7.88	8	0.88	3/4	6.19	1.25	0.06	0.867	1.103	2.756	4.016	0.87	1.77	0.08	M10	F10	
6	150	6.00	3.94	9.88	29.53	15.88	12.50	10.62	12	0.88	3/4	8.50	1.44	0.06	1.063	1.418	3.347	4.921	1.06	2.05	0.08	M12	F12	
8	200	8.00	5.94	12.40	39.37	16.5	15.00	13.00	12	1.00	7/8	10.62	1.62	0.06	1.418	1.890	3.937	5.512	1.42	2.48	0.08	M16	F14	
10	250	10.00	7.36	15.43	59.06	18.0	17.50	15.25	16	1.12	1	12.75	1.88	0.06	1.811	2.362	5.118	6.496	1.81	3.11	0.08	M20	F16	



G-300UTAZM

G-300UTAZM-FS



MATERIAL LIST

No.	Name of Parts	Materials
1	BODY	A351 Gr. CF8M
3	STEM	A276 TYPE316
4	BALL	A351 Gr. CF8M
7	GLAND	A351 Gr. CF8
8	GLAND PACKING	G-300UTAZM
		PTFE
		G-300UTAZM-FS
		FLEXIBLE GRAPHITE
16A	NAME PLATE	STAINLESS STEEL
16B	LEV PLATE	STAINLESS STEEL
19A	GASKET	PTFE
19B		G-300UTAZM-FS
		FLEXIBLE GRAPHITE
29	INSERT	A351 Gr. CF8M
30	BALL SEAT	HYPATITE® PTFE
36	GLAND BOLT	STAINLESS STEEL
57	GLAND BUSHING	G/F PTFE
58	GLAND WASHER	A276 TYPE304
60	KEY	CARBON STEEL
67	STEM BEARING	G/F PTFE
92	CONNECTOR	CARBON STEEL
93	BRACKET	CARBON STEEL
99	BOLT	CARBON STEEL
102	GEAR UNIT	
124	SPRING & PIN	A313 & A276 TYPE316
145	CONED DISC SPRINGS	INCONEL® 718 or EQUIVALENT
216A	CE PLATE	STAINLESS STEEL
216B	ATEX PLATE	STAINLESS STEEL



SIZE 10 ONLY

DIMENSIONS

Unit: inch

Nominal Size							End Flange								Mounting Dimensions for Actuator											
									Bolt Hole																	
in.	mm	d	d1	H	D1	L			D	C	No.															
10	250	10.00	7.36	15.75	15.75	18.00	17.5	15.25	16	1.12	1	12.75	1.88	0.06	3.39	13.27	1.811	2.362	5.118	6.496	1.81	3.11	0.08	M20	F16	