





FNW[®]

**SANITARY
STAINLESS
STEEL
FITTINGS**

INDEX

Type	Page
Clamps	
2CMP - 90° Clamp Short Elbow CC	2
2KMP - 45° Clamp Short Elbow CC	2
7MP - Clamp Long Equal Tee	3
7RMP - Clamp Long Reducing Tee	3
31MP - Clamp Concentric Reducer	4
32MP - Clamp Eccentric Reducer	5
21MP - Male NPT X Clamp Adapter	6
22MP - Female NPT X Clamp Adapter	6
14MPHR - Clamp Rubber Hose Adapter.....	7
14MPHT - Tygon Hose Adapter	8
2WUMP - 180° Clamp U-Bend	8
9MP - Clamp Long Equal 4-Way Cross	9
13H - Hexagonal Union Nut	9
13MHHM - Heavy Duty Single Pin Clamp	10
13MHP - High Pressure Clamp	10
13MHHMD - Double Pin Heavy Duty Clamp	11
13MHHS - Three Segment Clamp	11
16AMP - Clamp End Cap	12
Elbows	
2S - 90° Buttweld Long Elbow	12
2WCL - 90° Buttweld Short Elbow	13
2CM - 90° Clamp X Weld Long Elbow	13
2KS - 45° Buttweld Long Elbow	14
2KM - 45° Clamp X Weld Long Elbow	14
Tees	
7W - Buttweld Long Equal Tee	15
7RWWW - Buttweld Short Reducing Tee	16
32W - Buttweld Eccentric Reducer	17
2WK - Buttweld Short Elbow	18
7WWW - Buttweld Short Equal Tee	18
31W - Buttweld Concentric Reducer	19
16W - Buttweld End Cap	20
Ferrules	
14RMP - Sanitary Expanding Ferrule	20
14AM - Sanitary Long Ferrule	21
14WMP - Sanitary Short Ferrule	21
14WLMP - Sanitary Long Tank Ferrule	22
14MPW - Sanitary Tank Ferrule	22
Gaskets	
40MPE - EPDM Gasket	23
40MPU - Buna Gasket	23
40MPX - Silicone Gasket.....	24
40MPSF - Viton Gasket	24
40MP - Teflon Gasket	25
Pipe	
RathGibson Sanitary Tubing	26
Hanger	
GE24PP - Hex Hanger w/Polypropylene	27
GE24C - Hex Hanger w/Vinyl Grommet Coupling	27
GE24 - Hex Hanger w/Vinyl Grommet.....	28

FOR DAIRY, FOOD & BEVERAGE AND OTHER SANITARY PROCESSES



Specifications

- FNW Sanitary Fittings comply with 3A standards
- Stainless steel tubing exceeds ASTM A270 S2 and 3A specifications

Materials

- 304 & 316L available from stock

Clamp Fittings

Clamp style fittings are a popular option due to the ease of assembly and breakdown on process equipment and lines. FNW offers polished ID and OD clamp fittings that comply with the 3A standard. Clamp fittings require a gasket to provide a good seal and are available in several different materials. FNW offers gaskets in Buna-N, EPDM, Silicone, Teflon and Viton.

Weld Fittings


Weld style fittings are used in permanent applications where the process and piping equipment can be cleaned in place and disassembly of the system is not required. FNW offers polished ID and OD fittings that comply with the 3A standard.

Rath Gibson Tubing

RathGibson's sanitary tubing exceeds ASTM A270 S2 and 3A specifications and most user specifications. It is manufactured from the finest quality stainless steel materials made exclusively to the RathGibson melt criteria and formed by the RathGibson Micro-Weld™ process to assure weld seam integrity and industry leading ID and OD finishes to low Ra values. Surface finish is 20 µ-in Ra (0.5 µm) ID, 30 µ-in Ra (0.8 µm) OD maximum measured per ASME/ANSI B46.1 with the profilometer reading at 90 degrees to major polishing pattern.


SANITARY STAINLESS SYSTEMS

2CMP - 90° Clamp Short Elbow CC




Tube OD (in)	Part Number		A (in)	Weight (lb)
	304	316L		
1/2	—	FNW2CMP76D	1.625	0.132
3/4	—	FNW2CMP76F	1.625	0.286
1	FNW2CMP74G	FNW2CMP76G	2.000	0.352
1-1/2	FNW2CMP74J	FNW2CMP76J	2.750	0.484
2	FNW2CMP74K	FNW2CMP76K	3.500	0.792
2-1/2	FNW2CMP74L	FNW2CMP76L	4.250	1.122
3	FNW2CMP74M	FNW2CMP76M	5.000	1.562
4	FNW2CMP74P	FNW2CMP76P	6.625	3.454
6	FNW2CMP74U	FNW2CMP76U	9.875	9.900
8	FNW2CMP74X	FNW2CMP76X	12.875	16.346

2KMP - 45° Clamp Short Elbow CC




Tube OD (in)	Part Number		A (in)	Weight (lb)
	304	316L		
1/2	—	FNW2KMP76D	0.966	0.088
3/4	—	FNW2KMP76F	0.966	0.176
1	FNW2KMP74G	FNW2KMP76G	1.125	0.286
1-1/2	FNW2KMP74J	FNW2KMP76J	1.437	0.308
2	FNW2KMP74K	FNW2KMP76K	1.750	0.484
2-1/2	FNW2KMP74L	FNW2KMP76L	2.062	0.726
3	FNW2KMP74M	FNW2KMP76M	2.375	1.012
4	FNW2KMP74P	FNW2KMP76P	3.125	2.046
6	FNW2KMP74U	FNW2KMP76U	4.625	5.852
8	FNW2KMP74X	FNW2KMP76X	5.875	9.658

7MP - Clamp Long Equal Tee



Tube OD (in)	Part Number		A (in)	B (in)	Weight (lb)
	304	316L			
1/2	—	FNW7MP76D	4.750	2.375	0.220
3/4	—	FNW7MP76F	5.000	2.500	0.396
1	FNW7MP74G	FNW7MP76G	4.750	2.375	0.616
1-1/2	FNW7MP74J	FNW7MP76J	5.500	2.750	0.704
2	FNW7MP74K	FNW7MP76K	7.000	3.500	1.144
2-1/2	FNW7MP74L	FNW7MP76L	7.000	3.500	1.496
3	FNW7MP74M	FNW7MP76M	7.500	3.750	1.848
4	FNW7MP74P	FNW7MP76P	9.000	4.500	3.652
6	FNW7MP74U	FNW7MP76U	13.000	6.500	7.436
8	FNW7MP74X	FNW7MP76X	15.750	7.875	11.220


7RMP - Clamp Long Reducing Tee



Tube OD (in)	Part Number		A (in)	B (in)	C (in)	Weight (lb)
	304	316L				
1-1/2 X 1	—	FNW7RMP76JG	5.500	2.750	2.626	0.704
2 X 1	—	FNW7RMP76KG	7.000	3.500	2.874	1.144
2 X 1-1/2	FNW7RMP74KJ	FNW7RMP76KJ	7.000	3.500	3.000	1.144
2-1/2 X 2	FNW7RMP74LK	FNW7RMP76LK	7.000	3.500	3.752	1.496
3 X 1-1/2	FNW7RMP74MJ	FNW7RMP76MJ	7.500	3.750	3.500	1.848
3 X 2	FNW7RMP74MK	FNW7RMP76MK	7.500	3.750	4.000	1.848
4 X 3	FNW7RMP74PM	FNW7RMP76PM	8.998	4.499	4.122	3.652


SANITARY STAINLESS SYSTEMS

31MP - Clamp Concentric Reducer



Tube OD (in)	Part Number		A (in)	Weight (lb)
	304	316L		
3/4 X 1/2	—	FNW3114MP76FD	2.000	0.088
1 X 1/2	—	FNW3114MP76GD	2.000	0.264
1 X 3/4	—	FNW3114MP76GF	2.000	0.264
1-1/2 X 1/2	—	FNW3114MP76JD	3.500	0.264
1-1/2 X 3/4	—	FNW3114MP76JF	3.000	0.264
1-1/2 X 1	FNW3114MP74JG	FNW3114MP76JG	3.000	0.352
2 X 1	FNW3114MP74KG	FNW3114MP76KG	5.000	0.616
2 X 1-1/2	FNW3114MP74KJ	FNW3114MP76KJ	3.000	0.616
2-1/2 X 1-1/2	FNW3114MP74LJ	FNW3114MP76LJ	5.000	0.704
2-1/2 X 2	FNW3114MP74LK	FNW3114MP76LK	3.000	0.550
3 X 1-1/2	FNW3114MP74MJ	FNW3114MP76MJ	7.000	1.276
3 X 2	FNW3114MP74MK	FNW3114MP76MK	5.000	1.100
3 X 2-1/2	FNW3114MP74ML	FNW3114MP76ML	3.000	0.726
4 X 1-1/2	FNW3114MP74PJ	FNW3114MP76PJ	11.125	2.310
4 X 2	FNW3114MP74PK	FNW3114MP76PK	9.125	1.980
4 X 3	FNW3114MP74PM	FNW3114MP76PM	5.125	1.584
6 X 4	FNW3114MP74UP	FNW3114MP76UP	7.000	3.388


32MP - Clamp Eccentric Reducer



Tube OD (in)	Part Number		A (in)	Weight (lb)
	304	316L		
1-1/2 X 1	FNW3214MP74JG	FNW3214MP76JG	3.000	0.352
2 X 1	FNW3214MP74KG	FNW3214MP76KG	5.000	0.616
2 X 1-1/2	FNW3214MP74KJ	FNW3214MP76KJ	3.000	0.440
2-1/2 X 1-1/2	FNW3214MP74LJ	FNW3214MP76LJ	5.000	0.704
2-1/2 X 2	FNW3214MP74LK	FNW3214MP76LK	3.000	0.550
3 X 2	FNW3214MP74MK	FNW3214MP76MK	5.000	1.100
3 X 2-1/2	FNW3214MP74ML	FNW3214MP76ML	3.000	0.726
4 X 2	FNW3214MP74PK	FNW3214MP76PK	9.125	1.980
4 X 2-1/2	FNW3214MP74PL	FNW3214MP76PL	7.125	1.540
4 X 3	FNW3214MP74PM	FNW3214MP76PM	5.125	1.584
6 X 4	FNW3214MP74UP	FNW3214MP76UP	7.000	3.388


SANITARY STAINLESS SYSTEMS

21MP - Male NPT X Clamp Adapter




Tube OD (in)	NPT Size (in)	Part Number		A (in)	B (in)	Weight (lb)
		304	316L			
1/2	3/8	—	FNW21MP76DC	2.000	0.600	0.2156
1/2	1/2	—	FNW21MP76D	1.625	0.782	0.2332
3/4	1/2	—	FNW21MP76FD	2.000	0.782	0.2332
3/4	3/4	—	FNW21MP76F	1.787	0.794	0.2332
1	1/2	—	FNW21MP76GD	2.187	0.782	0.704
1	1	FNW21MP74GD	FNW21MP76G	2.250	0.985	0.704
1	1-1/2	FNW21MP74GJ	FNW21MP76GJ	2.438	1.025	0.704
1-1/2	3/4	FNW21MP74JF	FNW21MP76JF	2.187	0.794	0.792
1-1/2	1	FNW21MP74JG	FNW21MP76JG	2.437	0.985	0.792
1-1/2	1-1/2	FNW21MP74J	FNW21MP76J	2.250	1.025	0.792
2	1/2	FNW21MP74KD	FNW21MP76KD	2.188	0.782	1.166
2	1	FNW21MP74KG	FNW21MP76KG	2.469	0.985	1.166
2	1-1/2	FNW21MP74KJ	FNW21MP76KJ	2.625	1.009	1.166
2	2	FNW21MP74K	FNW21MP76K	2.638	1.058	1.166
2-1/2	2-1/2	FNW21MP74L	FNW21MP76L	2.875	1.571	1.5136
3	3	FNW21MP74M	FNW21MP76M	3.070	1.634	2.310
4	4	FNW21MP74P	FNW21MP76P	3.155	1.734	3.432

22MP - Female NPT X Clamp Adapter



Tube OD (in)	NPT Size (in)	Part Number		A (in)	Weight (lb)
		304	316L		
1/2	1/2	—	FNW22MP76D	1.500	0.255
3/4	3/4	—	FNW22MP76F	1.625	0.198
1	1	FNW22MP74G	FNW22MP76G	1.625	0.814
1-1/2	1-1/2	FNW22MP74J	FNW22MP76J	2.250	1.056
2	2	FNW22MP74K	FNW22MP76K	2.406	1.430
2-1/2	2-1/2	FNW22MP74L	FNW22MP76L	2.187	1.606
3	3	FNW22MP74M	FNW22MP76M	2.187	1.650
4	4	FNW22MP74P	FNW22MP76P	3.652	5.126


14MPHR - Clamp Rubber Hose Adapter



Tube OD (in)	NPT Size (in)	Part Number		A (in)	B (in)	Weight (lb)
		304	316L			
1/2	3/8	—	FNW14MPHR76DC	1.500	0.400	0.220
1/2	1/2	—	FNW14MPHR76D	1.500	0.500	0.220
3/4	1/4	—	FNW14MPHR76FB	1.500	0.310	0.220
3/4	3/8	—	FNW14MPHR76FC	1.500	0.400	0.220
3/4	3/4	—	FNW14MPHR76F	1.500	0.750	0.220
1	3/8	—	FNW14MPHR76GC	1.500	0.400	0.330
1	1/2	—	FNW14MPHR76GD	1.500	0.500	0.330
1	3/4	FNW14MPHR74GF	FNW14MPHR76GF	1.680	0.750	0.330
1	1	FNW14MPHR74G	FNW14MPHR76G	1.680	1.000	0.330
1-1/2	3/4	FNW14MPHR74JF	FNW14MPHR76JF	1.500	0.750	0.418
1-1/2	1	FNW14MPHR74JG	FNW14MPHR76JG	1.680	1.00	0.418
1-1/2	1-1/2	FNW14MPHR74J	FNW14MPHR76J	1.680	1.500	0.418
2	2	FNW14MPHR74K	FNW14MPHR76K	2.312	1.500	0.594
2-1/2	2-1/2	FNW14MPHR74L	FNW14MPHR76L	2.344	2.500	0.748
3	3	FNW14MPHR74M	FNW14MPHR76M	3.094	3.000	0.946
4	4	FNW14MPHR74P	FNW14MPHR76P	3.406	4.000	1.650


SANITARY STAINLESS SYSTEMS

14MPHT - Tygon Hose Adapter




Tube OD (in)	Part Number		A (in)	B (in)	C (in)	Weight (lb)
	304	316L				
1/2	—	FNW14MPHT76D	4.000	0.370	0.500	0.250
3/4	—	FNW14MPHT76F	4.000	0.620	0.750	0.300
1	FNW14MPHT74G	FNW14MPHT76G	4.500	0.870	1.000	0.380
1 1/2	FNW14MPHT74J	FNW14MPHT76J	4.500	1.370	1.500	0.420
2	FNW14MPHT74K	FNW14MPHT76K	4.500	1.870	2.000	0.580
2 1/2	FNW14MPHT74L	FNW14MPHT76L	4.500	2.370	2.500	0.740
3	FNW14MPHT74M	FNW14MPHT76M	4.500	2.870	3.000	0.920
4	FNW14MPHT74P	FNW14MPHT76P	4.625	3.834	4.000	1.400
6	FNW14MPHT74U	FNW14MPHT76U	6.000	5.782	6.000	6.100

2WUMP - 180° Clamp U-Bend




Tube OD (in)	Part Number		A (in)	B (in)	Weight (lb)
	304	316L			
1/2	—	FNW2WUMP76D	—	—	0.200
3/4	—	FNW2WUMP76F	—	—	0.300
1	FNW2WUMP74G	FNW2WUMP76G	3.000	2.500	0.520
1 1/2	FNW2WUMP74J	FNW2WUMP76J	4.500	3.500	0.680
2	FNW2WUMP74K	FNW2WUMP76K	6.000	4.500	1.100
2 1/2	FNW2WUMP74L	FNW2WUMP76L	7.500	5.500	1.760
3	FNW2WUMP74M	FNW2WUMP76M	9.000	6.500	2.580
4	FNW2WUMP74P	FNW2WUMP76P	12.000	8.625	6.120
6	FNW2WUMP74U	FNW2WUMP76U	—	—	12.000

9MP - Clamp Long Equal 4-Way Cross



Tube OD (in)	Part Number		A (in)	B (in)	Weight (lb)
	304	316L			
1/2	—	FNW9MP76D	—	—	0.800
3/4	—	FNW9MP76F	—	—	0.850
1	FNW9MP74G	FNW9MP76G	4.750	2.375	0.920
1 1/2	FNW9MP74J	FNW9MP76J	5.500	2.750	1.320
2	FNW9MP74K	FNW9MP76K	7.000	3.500	1.660
2 1/2	FNW9MP74M	FNW9MP76L	7.000	3.500	1.660
3	FNW9MP74P	FNW9MP76M	7.500	3.750	2.200
4	FNW9MP74L	FNW9MP76P	9.000	4.500	3.960
6	FNW9MP74U	FNW9MP76U	—	—	12.000


13H - Hexagonal Union Nut



Tube OD (in)	Part Number	A (in)	B (in)	Weight (lb)
	304			
1-1/2	FNW13H4J	0.968	2.406	0.200
2	FNW13H4K	1.062	3.000	0.814
2-1/2	FNW13H4L	1.187	3.594	1.298
3	FNW13H4M	1.281	4.188	1.826
4	FNW13H4P	1.500	5.438	3.476


SANITARY STAINLESS SYSTEMS

13MHMM - Heavy Duty Single Pin Clamp



Tube OD (in)	Part Number	A (in)	B (in)	Weight (lb)
1/2 – 3/4	FNW13MHMM4DF	0.787	1.110	0.374
1 – 1-1/2	FNW13MHMM4GJ	1.748	2.110	0.550
1/2	FNW13MHMM4D	0.787	1.110	0.374
3/4	FNW13MHMM4F	0.787	1.110	0.374
1	FNW13MHMM4G	1.748	2.110	0.440
1-1/2	FNW13MHMM4J	1.748	2.110	0.440
2	FNW13MHMM4K	2.276	2.640	0.616
2-1/2	FNW13MHMM4L	2.811	3.173	0.836
3	FNW13MHMM4M	3.307	3.709	0.880
4	FNW13MHMM4P	4.331	4.811	0.814
6	FNW13MHMM4U	6.118	6.709	1.826
8	FNW13MHMM4X	8.071	8.661	2.266


13MHP - High Pressure Clamp



Nominal Size (in)	Part Number	A (in)	B (in)	Weight (lb)
1 – 1-1/2	FNW13MHP4GJ	1.705	2.047	0.946
3/4	FNW13MHP4F	0.787	1.102	0.286
1	FNW13MHP4G	1.705	2.047	0.946
1-1/2	FNW13MHP4J	1.705	2.047	0.946
2	FNW13MHP4K	2.220	2.579	1.166
2-1/2	FNW13MHP4L	2.736	3.110	1.320
3	FNW13MHP4M	3.051	3.642	1.496
4	FNW13MHP4P	4.291	4.744	1.716
6	FNW13MHP4U	6.220	6.693	2.442
8	FNW13MHP4X	8.760	9.350	3.454

All clamps may be utilized for both 304SS and 316SS fittings and are manufactured to industry standards

13MHHMD - Double Pin Heavy Duty Clamp



Nominal Size (in)	Part Number	A (in)	B (in)	Weight (lb)
1/2	FNW13MHHMDP4D	0.787	1.102	0.374
3/4	FNW13MHHMDP4F	0.787	1.102	0.374
1	FNW13MHHMDP4G	1.717	2.110	0.440
1-1/2	FNW13MHHMDP4J	1.717	2.110	0.440
2	FNW13MHHMDP4K	2.244	2.638	0.616
2-1/2	FNW13MHHMDP4L	2.780	3.173	0.836
3	FNW13MHHMDP4M	3.307	3.700	0.880
4	FNW13MHHMDP4P	4.409	4.800	0.814
6	FNW13MHHMDP4U	6.102	6.693	0.814
8	FNW13MHHMDP4X	8.071	8.693	2.640

13MHHS - Three Segment Clamp




Tube OD (in)	Part Number	A (in)	Weight (lb)
1-1/2	FNW13MHHS4J	2.122	0.506
2	FNW13MHHS4K	2.654	0.924
2-1/2	FNW3MHHS4L	3.185	1.056
3	FNW13MHHS4M	3.717	1.100
4	FNW13MHHS4P	4.820	1.100

All clamps may be utilized for both 304SS and 316SS fittings and are manufactured to industry standards


SANITARY STAINLESS SYSTEMS

16AMP - Clamp End Cap




Size (in)	Part Number		A (in)	B (in)	Weight (lb)
	304	316L			
1/2	–	FNW16AMP76D	5.000	1.000	0.150
3/4	–	FNW16AMP76F	5.000	1.000	0.150
1/2 – 3/4	FNW16AMP74DF	FNW16AMP76DF			0.150
1	FNW16AMP74G	FNW16AMP76G	6.300	1.984	0.176
1 – 1-1/2	FNW16AMP74GJ	FNW16AMP76GJ			0.176
1-1/2	FNW16AMP74J	FNW16AMP76J	6.300	1.984	0.176
2	FNW16AMP74K	FNW16AMP76K	6.300	2.519	0.308
2-1/2	FNW16AMP74L	FNW16AMP76L	6.300	3.051	0.462
3	FNW16AMP74M	FNW16AMP76M	6.300	3.582	0.639
4	FNW16AMP74P	FNW16AMP76P	7.900	4.685	1.587
6	FNW16AMP74U	FNW16AMP76U	11.100	6.566	3.811
8	FNW16AMP74X	FNW16AMP76X	11.100	8.571	6.915
10	FNW16AMP7410	FNW16AMP7610	11.100	10.551	10.361
12	FNW16AMP7412	FNW16AMP7612	11.100	12.600	11.023

2S - 90° Butt Weld Long Elbow




Tube OD (in)	Part Number		A (in)	Nominal Wall	Weight (lb)
	304	316L			
1/2	–	FNW2S76D	3.000	0.065	0.132
3/4	–	FNW2S76F	3.000	0.065	0.220
1	FNW2S74G	FNW2S76G	2.062	0.065	0.220
1-1/2	FNW2S74J	FNW2S76J	2.937	0.065	0.374
2	FNW2S74K	FNW2S76K	4.062	0.065	0.704
2-1/2	FNW2S74L	FNW2S76L	5.187	0.065	1.320
3	FNW2S74M	FNW2S76M	6.312	0.065	1.672
4	FNW2S74P	FNW2S76P	8.312	0.083	3.674

2WCL - 90° Buttweld Short Elbow



Tube OD (in)	Part Number		A (in)	Nominal Wall	Weight (lb)
	304	316L			
1/2	—	FNW2WCL76D	1.125	0.065	0.044
3/4	—	FNW2WCL76F	1.125	0.065	0.088
1	FNW2WCL74G	FNW2WCL76G	1.500	0.065	0.132
1-1/2	FNW2WCL74J	FNW2WCL76J	2.250	0.065	0.308
2	FNW2WCL74K	FNW2WCL76K	3.000	0.065	0.528
2-1/2	FNW2WCL74L	FNW2WCL76L	3.750	0.065	0.836
3	FNW2WCL74M	FNW2WCL76M	4.500	0.065	1.276
4	FNW2WCL74P	FNW2WCL76P	6.000	0.083	2.860
6	FNW2WCL74U	FNW2WCL76U	9.000	0.109	8.184


2CM - 90° Clamp X Weld Long Elbow



Tube OD (in)	Part Number		A (in)	B (in)	Nominal Wall	Weight (lb)
	304	316L				
1	FNW2CM74G	FNW2CM76G	2.562	2.062	0.065	0.308
1-1/2	FNW2CM74J	FNW2CM76J	3.438	2.937	0.065	0.528
2	FNW2CM74K	FNW2CM76K	4.562	4.062	0.065	0.836
2-1/2	FNW2CM74L	FNW2CM76L	5.688	5.187	0.065	1.188
3	FNW2CM74M	FNW2CM76M	6.812	6.312	0.065	1.716
4	FNW2CM74P	FNW2CM76P	8.937	8.312	0.083	3.520


SANITARY STAINLESS SYSTEMS

2KS - 45° Buttweld Long Elbow




Tube OD (in)	Part Number		A (in)	Nominal Wall	Weight (lb)
	304	316L			
1/2	—	FNW2KS76D	2.250	0.065	0.088
3/4	—	FNW2KS76F	2.250	0.065	0.176
1	FNW2KS74G	FNW2KS76G	1.188	0.065	0.220
1-1/2	FNW2KS74J	FNW2KS76J	1.625	0.065	0.330
2	FNW2KS74K	FNW2KS76K	2.312	0.065	0.484
2-1/2	FNW2KS74L	FNW2KS76L	3.000	0.065	0.748
3	FNW2KS74M	FNW2KS76M	3.688	0.065	1.166
4	FNW2KS74P	FNW2KS76P	4.812	0.083	2.464

2KM - 45° Clamp X Weld Long Elbow



Tube OD (in)	Part Number	A (in)	B (in)	Nominal Wall	Weight (lb)
	304				
1	FNW2KM74G	1.188	1.688	0.065	0.264
1-1/2	FNW2KM74J	1.625	2.125	0.065	0.352
2	FNW2KM74K	2.312	2.812	0.065	0.572
2-1/2	FNW2KM74L	3.000	3.500	0.065	0.836
3	FNW2KM74M	3.688	4.188	0.065	1.100
4	FNW2KM74P	4.812	5.437	0.083	2.244


7W - Buttweld Long Equal Tee



Tube OD (in)	Part Number		A (in)	B (in)	Nominal Wall	Weight (lb)
	304	316L				
1/2	—	FNW7W76D	3.750	1.875	0.065	0.132
3/4	—	FNW7W76F	4.000	2.000	0.065	0.264
1	FNW7W74G	FNW7W76G	3.750	1.875	0.065	0.264
1-1/2	FNW7W74J	FNW7W76J	4.500	2.250	0.065	0.528
2	FNW7W74K	FNW7W76K	6.000	3.000	0.065	0.814
2-1/2	FNW7W74L	FNW7W76L	6.000	3.000	0.065	1.034
3	FNW7W74M	FNW7W76M	6.500	3.250	0.065	1.342
4	FNW7W74P	FNW7W76P	7.750	3.875	0.083	2.706
6	FNW7W74U	FNW7W76U	11.250	5.625	0.109	4.070


SANITARY STAINLESS SYSTEMS

7RWWW - Buttweld Short Reducing Tee



Tube OD (in)	Part Number		A (in)	B (in)	C (in)	D (in)	Nominal Wall	Weight (lb)
	304	316L						
1 X 1/2	—	FNW7RWWW76GD	4.250	2.125	1.000	0.500	0.065	0.308
1 X 3/4	—	FNW7RWWW76GF	4.250	2.125	1.000	0.750	0.065	0.308
1-1/2 X 1/2	—	FNW7RWWW76JD	4.750	2.375	1.500	0.500	0.065	0.484
1-1/2 X 3/4	—	FNW7RWWW76JF	4.750	2.375	1.500	0.750	0.065	0.484
1-1/2 X 1	FNW7RWWW74JG	FNW7RWWW76JG	3.312	1.375	1.500	1.000	0.065	0.484
2 X 1/2	FNW7RWWW74KD	FNW7RWWW76KD	5.750	2.625	2.000	0.500	0.065	0.572
2 X 3/4	FNW7RWWW74KF	FNW7RWWW76KF	5.750	2.625	2.000	0.750	0.065	0.572
2 X 1	FNW7RWWW74KG	FNW7RWWW76KG	4.124	1.625	2.000	1.000	0.065	0.572
2 X 1-1/2	FNW7RWWW74KJ	FNW7RWWW76KJ	4.124	1.906	2.000	1.500	0.065	0.616
2-1/2 X 1-1/2	FNW7RWWW74LJ	FNW7RWWW76LJ	4.688	2.156	2.500	1.500	0.065	0.880
2-1/2 X 2	FNW7RWWW74LK	FNW7RWWW76LK	4.688	2.312	2.500	2.000	0.065	0.792
3 X 1-1/2	FNW7RWWW74MJ	FNW7RWWW76MJ	5.188	2.406	3.000	1.500	0.065	1.012
3 X 2	FNW7RWWW74MK	FNW7RWWW76MK	5.188	2.562	3.000	2.000	0.065	1.012
3 X 2-1/2	FNW7RWWW74ML	FNW7RWWW76ML	5.188	2.594	3.000	2.500	0.083	1.012
4 X 1-1/2	FNW7RWWW74PJ	FNW7RWWW76PJ	6.876	2.906	4.000	1.500	0.083	2.200
4 X 2	FNW7RWWW74PK	FNW7RWWW76PK	6.876	3.062	4.000	2.000	0.083	2.200
4 X 2-1/2	FNW7RWWW74PL	FNW7RWWW76PL	6.876	3.094	4.000	2.500	0.083	2.200


32W - Buttweld Eccentric Reducer



Tube OD (in)	Part Number		A (in)	B (in)	C (in)	Nominal Wall	Weight (lb)
	304	316L					
3/4 X 1/2	—	FNW32W76FD	1.000	0.750	0.500	0.065	0.066
1 X 1/2	—	FNW32W76GD	1.000	1.000	0.500	0.065	0.088
1 X 3/4	—	FNW32W76GF	1.000	1.000	0.750	0.065	0.088
1-1/2 X 1	FNW32W74JG	FNW32W76JG	2.000	1.500	1.000	0.065	0.132
2 X 1	FNW32W74KG	FNW32W76KG	4.000	2.000	1.000	0.065	0.264
2 X 1-1/2	FNW32W74KJ	FNW32W76KJ	2.000	2.000	1.500	0.065	0.198
2-1/2 X 1-1/2	FNW32W74LJ	FNW32W76LJ	4.000	2.500	1.500	0.065	0.462
2-1/2 X 2	FNW32W74LK	FNW32W76LK	2.000	2.500	2.000	0.065	0.264
3 X 1	FNW32W74MG	FNW32W76MG	8.000	3.000	1.000	0.065	0.770
3 X 1-1/2	FNW32W74MJ	FNW32W76MJ	6.000	3.000	1.500	0.065	0.770
3 X 2	FNW32W74MK	FNW32W76MK	4.000	3.000	2.000	0.065	0.572
3 X 2-1/2	FNW32W74ML	FNW32W76ML	2.000	3.000	2.500	0.065	0.330
4 X 2	FNW32W74PK	FNW32W76PK	8.000	4.000	2.000	0.083	1.474
4 X 2-1/2	FNW32W74PL	FNW32W76PL	6.000	4.000	2.500	0.083	1.210
4 X 3	FNW32W74PM	FNW32W76PM	4.000	4.000	3.000	0.083	0.902
6 X 4	FNW32W74UP	FNW32W76UP	5.500	6.000	4.000	0.109	2.486


SANITARY STAINLESS SYSTEMS

2WK - Butt weld Short Elbow




Tube OD (in)	Part Number		A (in)	R (in)	Nominal Wall	Weight (lb)
	304	316L				
1/2		FNW2WK76D	0.466	1.125	0.065	0.044
3/4		FNW2WK76F	0.466	1.125	0.065	0.044
1	FNW2WK74G	FNW2WK76G	0.625	1.500	0.065	0.066
1-1/2	FNW2WK74J	FNW2WK76J	0.937	2.250	0.065	0.154
2	FNW2WK74K	FNW2WK76K	1.250	3.000	0.065	0.242
2-1/2	FNW2WK74L	FNW2WK76L	1.562	3.750	0.065	0.418
3	FNW2WK74M	FNW2WK76M	1.875	4.500	0.065	0.594
4	FNW2WK74P	FNW2WK76P	2.500	6.000	0.083	1.408
6	FNW2WK74U	FNW2WK76U	–	–	–	–
8	FNW2WK74X	FNW2WK76X	–	–	–	–

7WWW - Butt weld Short Equal Tee



Tube OD (in)	Part Number		A (in)	B (in)	Nominal Wall	Weight (lb)
	316L	316L				
1	FNW7WWW74G	FNW7WWW76G	2.250	1.125	0.065	0.132
1 1/2	FNW7WWW74J	FNW7WWW76J	3.312	1.656	0.065	0.330
2	FNW7WWW74K	FNW7WWW76K	4.124	2.062	0.065	0.572
2 1/2	FNW7WWW74L	FNW7WWW76L	4.688	2.344	0.065	0.726
3	FNW7WWW74M	FNW7WWW76M	5.188	2.594	0.065	1.078
4	FNW7WWW74P	FNW7WWW76P	6.876	3.438	0.083	2.200
6	FNW7WWW74U	FNW7WWW76U	–	–	–	–


31W - Buttweld Concentric Reducer



Tube OD (in)	Part Number		A (in)	B (in)	C (in)	Nominal Wall	Weight (lb)
	304	316L					
3/4 X 1/2	—	FNW31W76FD	1.000	0.750	0.500	0.065	0.066
1 X 1/2	—	FNW31W76GD	1.000	1.000	0.500	0.065	0.088
1 X 3/4	—	FNW31W76GF	1.000	1.000	0.750	0.065	0.088
1-1/2 X 1/2	—	FNW31W76JD	2.500	1.500	0.500	0.065	0.132
1-1/2 X 3/4	—	FNW31W76JF	2.000	1.500	0.750	0.065	0.132
1-1/2 X 1	FNW31W74JG	FNW31W76JG	2.000	1.500	1.000	0.065	0.132
2 X 1	FNW31W74KG	FNW31W76KG	4.000	2.000	1.000	0.065	0.264
2 X 1-1/2	FNW31W74KJ	FNW31W76KJ	2.000	2.000	1.500	0.065	0.198
2-1/2 X 1-1/2	FNW31W74LJ	FNW31W76LJ	4.000	2.500	1.500	0.065	0.462
2-1/2 X 2	FNW31W74LK	FNW31W76LK	2.000	2.500	2.000	0.065	0.264
3 X 1	FNW31W74MG	FNW31W76MG	8.000	3.000	1.000	0.065	0.770
3 X 1-1/2	FNW31W74MJ	FNW31W76MJ	6.000	3.000	1.500	0.065	0.770.
3 X 2	FNW31W74MK	FNW31W76MK	4.000	3.000	2.000	0.065	0.572
3 X 2-1/2	FNW31W74ML	FNW31W76ML	2.000	3.000	2.500	0.065	0.330
4 X 2	FNW31W74PK	FNW31W76PK	8.000	4.000	2.000	0.083	1.474
4 X 3	FNW31W74PM	FNW31W76PM	4.000	4.000	3.000	0.083	0.902
6 x 4	FNW31W74UP	FNW31W76UP	5.500	6.000	2.000	0.109	2.486
6 x 2	FNW31W74UK	FNW31W76UK					
6 x 3	FNW31W74UM	FNW31W76UM					
8 x 4	FNW31W74XP	FNW31W76XP					
8 x 6	FNW31W74XU	FNW31W76XU					


SANITARY STAINLESS SYSTEMS

16W - Buttweld End Cap




Tube OD (in)	Part Number		A (in)	Weight (lb)
	304	316L		
1	FNW16W74G	FNW16W76G	0.375	0.024
1-1/2	FNW16W74J	FNW16W76J	0.562	0.055
2	FNW16W74K	FNW16W76K	0.750	0.330
2-1/2	FNW16W74L	FNW16W76L	1.000	0.220
3	FNW16W74M	FNW16W76M	1.250	0.440
4	FNW16W74P	FNW16W76P	1.500	0.440

14RMP - Sanitary Expanding Ferrule




Size (in)	Part Number		A (in)	B (in)	C (in)	D (in)	Weight (lb)
	304	316L					
1	FNW14RMP74G	FNW14RMP76G	1.990	1.000	1.160	.750	0.110
1-1/2	FNW14RMP74J	FNW14RMP76J	1.990	1.500	1.680	1.130	0.150
2	FNW14RMP74K	FNW14RMP76K	2.520	2.000	2.190	1.310	0.240
2-1/2	FNW14RMP74L	FNW14RMP76L	3.050	2.490	2.710	1.370	0.330
3	FNW14RMP74M	FNW14RMP76M	3.580	3.000	3.220	1.440	0.480
4	FNW14RMP74P	FNW14RMP76P	4.690	4.000	4.260	1.500	0.790
6	FNW14RMP74U	FNW14RMP76U	6.570			1.500	2.200

14AM - Sanitary Long Ferrule



Size (in)	Part Number		A(in)	B (in)	D (in)	Weight (lb)
	304	316L	L14AM			
1/2	FNWL14AM74D	FNWL14AM76D	1.130	1.000	0.500	0.180
3/4	FNWL14AM74F	FNWL14AM76F	1.130	1.000	0.750	0.200
1	FNWL14AM74G	FNWL14AM76G	1.130	1.990	1.000	0.200
1-1/2	FNWL14AM74J	FNWL14AM76J	1.130	1.990	1.500	0.200
2	FNWL14AM74K	FNWL14AM76K	1.130	2.520	2.000	0.200
2-1/2	FNWL14AM74L	FNWL14AM76L	1.130	3.050	2.500	0.260
3	FNWL14AM74M	FNWL14AM76M	1.130	3.580	3.000	0.330
4	FNWL14AM74P	FNWL14AM76P	1.130	4.690	4.000	0.570
5	FNWL14AM74S	FNWL14AM76S				0.800
6	FNWL14AM74U	FNWL14AM76U	1.500	6.570	6.000	1.100
8	FNWL14AM74X	FNWL14AM76X	1.500	8.570	8.000	1.320
10	FNWL14AM7410	FNWL14AM7610	1.500	10.550	10.000	2.220
12	FNWL14AM7412	FNWL14AM7612	1.500	12.560	12.000	2.850


14WMP - Sanitary Short Ferrule



Size (in)	Part Number		A (in)	B (in)	D (in)	Weight (lb)
	304	316L	14WMP			
1/2	FNW14WMP74D	FNW14WMP76D	0.500	1.000	0.500	0.080
3/4	FNW14WMP74F	FNW14WMP76F	0.500	1.000	0.750	0.100
1	FNW14WMP74G	FNW14WMP76G	0.500	1.990	1.000	0.150
1-1/2	FNW14WMP74J	FNW14WMP76J	0.500	1.990	1.500	0.090
2	FNW14WMP74K	FNW14WMP76K	0.500	2.520	2.000	0.130
2-1/2	FNW14WMP74L	FNW14WMP76L	0.500	3.050	2.500	0.170
3	FNW14WMP74M	FNW14WMP76M	0.500	3.580	3.000	0.210
4	FNW14WMP74P	FNW14WMP76P	0.620	4.690	4.000	0.390
5	FNW14WMP74S	FNW14WMP76S	-	-	-	0.770
6	FNW14WMP74U	FNW14WMP76U	0.850	6.570	6.000	0.930
8	FNW14WMP74X	FNW14WMP76X	0.850	8.570	8.000	1.250
10	FNW14WMP7410	FNW14WMP7610	0.850	10.560	10.000	2.000
12	FNW14WMP7412	FNW14WMP7612	0.850	12.560	12.000	2.500


SANITARY STAINLESS SYSTEMS

14WLMP - Sanitary Long Tank Ferrule




Size (in)	Part Number		A (in)	B (in)	C (in)	Weight (lb)
	304	316L				
1	FNW14WLMP74G	FNW14WLMP76G	3.000	0.870	1.000	0.220
1-1/2	FNW14WLMP74J	FNW14WLMP76J	3.000	1.370	1.500	0.220
2	FNW14WLMP74K	FNW14WLMP76K	3.000	1.870	2.000	0.240
2-1/2	FNW14WLMP74L	FNW14WLMP76L	3.000	2.370	2.500	0.330
3	FNW14WLMP74M	FNW14WLMP76M	4.000	2.870	3.000	0.440
4	FNW14WLMP74P	FNW14WLMP76P	4.000	3.830	4.000	0.770
6	FNW14WLMP74U	FNW14WLMP76U	6.000	5.780	6.000	1.770

14MPW - Sanitary Tank Ferrule




Size (in)	Part Number		A (in)	B (in)	C (in)	L (in)	Weight (lb)
	304	316L					
1/2	FNW14MPW74D	FNW14MPW76D					0.150
3/4	FNW14MPW74F	FNW14MPW76F					0.160
1	FNW14MPW74G	FNW14MPW76G	1.160	0.870	1.990	1.630	0.170
1-1/2	FNW14MPW74J	FNW14MPW76J	1.680	1.370	1.990	1.630	0.190
2	FNW14MPW74K	FNW14MPW76K	2.190	1.870	2.520	1.750	0.220
2-1/2	FNW14MPW74L	FNW14MPW76L	2.710	2.370	3.050	1.750	0.330
3	FNW14MPW74M	FNW14MPW76M	3.220	2.870	3.580	1.810	0.400
4	FNW14MPW74P	FNW14MPW76P	4.260	3.830	4.690	2.130	0.660
6	FNW14MPW74U	FNW14MPW76U					0.800
8	FNW14MPW74X	FNW14MPW76X					1.500

40MPE - EPDM Gasket



Size (in)	Part Number	A (in)	B (in)	Weight (lb)
	Black			
1/2	FNW40MPED	0.860	0.390	0.002
3/4	FNW40MPEF	0.860	0.640	0.002
1	FNW40MPEG	1.970	0.890	0.010
1-1/2	FNW40MPEJ	1.970	1.410	0.006
2	FNW40MPEK	2.500	1.910	0.009
2-1/2	FNW40MPEL	3.000	2.410	0.011
3	FNW40MPEM	3.500	2.910	0.014
4	FNW40MPEP	4.650	3.880	0.021
6	FNW40MPEU	6.500	5.820	0.030


40MPU - Buna Gasket



Size (in)	Part Number		A (in)	B (in)	Weight (lb)
	Black	White			
1/2	FNW40MPUD	FNW40MPUWD	0.860	0.390	0.002
3/4	FNW40MPUF	FNW40MPUWF	0.860	0.640	0.002
1	FNW40MPUG	FNW40MPUWG	1.970	0.890	0.010
1-1/2	FNW40MPUJ	FNW40MPUWJ	1.970	1.410	0.006
2	FNW40MPUK	FNW40MPUWK	2.500	1.910	0.009
2-1/2	FNW40MPUL	FNW40MPUWL	3.000	2.410	0.011
3	FNW40MPUM	FNW40MPUWM	3.500	2.910	0.014
4	FNW40MPUP	FNW40MPUWP	4.650	3.880	0.021
6	FNW40MPUU	FNW40MPUWU	6.500	5.820	0.030
8	FNW40MPUX	—	8.500	7.820	0.040


SANITARY STAINLESS SYSTEMS

40MPX - Silicone Gasket




Size (in)	Part Number		A (in)	B (in)	Weight (lb)
	White	Clear			
1	FNW40MPXWG	—	1.970	0.890	0.010
1-1/2	FNW40MPXWJ	FNW40MPXCJ	1.970	1.410	0.006
2	FNW40MPXWK	FNW40MPXCK	2.500	1.910	0.009
2-1/2	FNW40MPXWL	FNW40MPXCL	3.000	2.410	0.011
3	FNW40MPXWM	FNW40MPXCM	3.500	2.910	0.014
4	FNW40MPXWP	FNW40MPXCP	4.650	3.880	0.021

40MPSF - Viton Gasket



Size (in)	Part Number	A (in)	B (in)	Weight (lb)
	Black			
1/2	FNW40MPSFYD	0.860	0.390	0.004
3/4	FNW40MPSFYF	0.860	0.640	0.003
1	FNW40MPSFYG	1.970	0.890	0.0160
1-1/2	FNW40MPSFYJ	1.970	1.410	0.011
2	FNW40MPSFYK	2.500	1.910	0.014
2-1/2	FNW40MPSFYL	3.000	2.410	0.019
3	FNW40MPSFYM	3.500	2.910	0.024
4	FNW40MPSFYP	4.650	3.880	0.037
6	FNW40MPSFYU	6.500	5.820	0.050

40MP - Teflon Gasket



Size (in)	Part Number	A (in)	B (in)	Weight (lb)
	White			
1/2	FNW40MPGD	0.860	0.390	0.004
3/4	FNW40MPGF	0.860	0.640	0.007
1	FNW40MPGG	1.970	0.890	0.020
1-1/2	FNW40MPGJ	1.970	1.410	0.015
2	FNW40MPGK	2.500	1.910	0.019
2-1/2	FNW40MPGL	3.000	2.410	0.024
3	FNW40MPGM	3.500	2.910	0.028
4	FNW40MPGP	4.650	3.880	0.046
6	FNW40MPGU	6.500	5.820	0.065
8	FNW40MPGX	8.500	7.820	0.070

SANITARY STAINLESS SYSTEMS

RathGibson Sanitary Tubing




Part Number	Description	UM	Size OD	Nominal Wall	Outside Diameter	Length	Wall	Weight Per Ft.
	304L							
DSWT4L065A2707G	1: 304L .065 A270 POL ID/OD TUBE	FT	1" (25.4)	0.065" (1.65) /0.049" (1.25)	+/-0.005 (0.13)	+1/8" (3.18) - 0	+/-10.0%	0.655
DSWT4L065A2707J	1-1/2: 304L .065 A270 POL ID/OD TUBE	FT	1-1/2" (38.1)	0.065" (1.65) /0.049" (1.25)	+/-0.008 (0.20)	+1/8" (3.18) - 0	+/-10.0%	0.996
DSWT4L065A2707K	2: 304L .065 A270 POL ID/OD TUBE	FT	2" (50.8)	0.065" (1.65) /0.049" (1.25)	+/-0.008 (0.20)	+1/8" (3.18) - 0	+/-10.0%	1.356
DSWT4L065A2707L	2-1/2: 304L .065 A270 POL ID/OD TUBE	FT	2-1/2" (63.5)	0.065" (1.65)	+/-0.010 (0.25)	+1/8" (3.18) - 0	+/-10.0%	1.706
DSWT4L083A2707M	3: 304L .065 A270 POL ID/OD TUBE	FT	3" (76.2)	0.065" (1.65)	+/-0.010 (0.25)	+1/8" (3.18) - 0	+/-10.0%	2.057
DSWT4L083A2707P	4: 304L .083 A270 POL ID/OD TUBE	FT	4" (101.6)	0.065" (1.65) /0.083" (2.11)	+/-0.015 (0.38)	+1/8" (3.18) - 0	+/-10.0%	3.451
DSWT4L109A2707U	6: 304L .109 A270 POL ID/OD TUBE	FT	6" (152.4)	0.083" (2.11)	+/-0.030 (0.76)	+1" (25.4) - 0	+/-10.0%	6.9
DSWT4L109A2707X	8: 304L .109 A270 POL ID/OD TUBE	FT	8" (203.2)	0.109" (2.77)	+0.061 (1.55) - 0.031 (0.79)	+1" (25.4) - 0	+/-10.0%	6.9

Part Number	Description	UM	Size OD	Nominal Wall	Outside Diameter	Length	Wall	Weight Per Ft.
	316L							
DSWT6L065A2707D	1/2: 316L .065 A270 POL ID/OD TUBE	FT	1/2" (12.7)	0.065" (1.65) /0.049" (1.25)	+/-0.005 (0.13)	+1/8" (3.18) - 0	+/-10.0%	0.302
DSWT6L065A2707F	3/4: 316L .065 A270 POL ID/OD TUBE	FT	3/4" (19.1)	0.065" (1.65) /0.049" (1.25)	+/-0.005 (0.13)	+1/8" (3.18) - 0	+/-10.0%	0.476
DSWT6L065A2707G	1: 316L .065 A270 POL ID/OD TUBE	FT	1" (25.4)	0.065" (1.65) /0.049" (1.25)	+/-0.005 (0.13)	+1/8" (3.18) - 0	+/-10.0%	0.659
DSWT6L065A2707J	1-1/2: 316L .065 A270 POL ID/OD TUBE	FT	1-1/2" (38.1)	0.065" (1.65) /0.049" (1.25)	+/-0.008 (0.20)	+1/8" (3.18) - 0	+/-10.0%	0.996
DSWT6L065A2707K	2: 316L .065 A270 POL ID/OD TUBE	FT	2" (50.8)	0.065" (1.65) /0.049" (1.25)	+/-0.008 (0.20)	+1/8" (3.18) - 0	+/-10.0%	1.356
DSWT6L065A2707L	2-1/2: 316L .065 A270 POL ID/OD TUBE	FT	2-1/2" (63.5)	0.065" (1.65)	+/-0.010 (0.25)	+1/8" (3.18) - 0	+/-10.0%	1.706
DSWT6L065A2707M	3: 316L .065 A270 POL ID/OD TUBE	FT	3" (76.2)	0.065" (1.65)	+/-0.010 (0.25)	+1/8" (3.18) - 0	+/-10.0%	2.051
DSWT6L083A2707P	4: 316L .083 A270 POL ID/OD TUBE	FT	4" (101.6)	0.065" (1.65) /0.083" (2.11)	+/-0.015 (0.38)	+1/8" (3.18) - 0	+/-10.0%	3.451
DSWT6L109A2707U	6: 316L .109 A270 POL ID/OD TUBE	FT	6" (152.4)	0.083" (2.11)	+/-0.030 (0.76)	+1" (25.4) - 0	+/-10.0%	6.9
DSWT6L109A2707X	8 316L .109 A270 POL ID/OD TUBE	FT	8" (203.2)	0.109" (2.77)	+0.061 (1.55) - 0.031 (0.79)	+1" (25.4) - 0	+/-10.0%	10.09

FIGURE GE24PP - Hex Hanger w/Polypropylene Insert


Material: 304 Stainless Steel
Finish: Stainless



Catalog Number	Size	A	B	D ± 0.12	E ± 0.012	F ± 0.03	G ± 0.12
FNWE24PPD	1/2"	2.96 ± 0.12	2.1 ± 0.12	0.50	0.14	1.00	1.00
FNWE24PPF	3/4"	2.93 ± 0.12	2.14 ± 0.12	0.75	0.14	1.00	1.20
FNWE24PPG	1"	3.13 ± 0.12	2.32 ± 0.12	1.00	0.14	0.98	1.48
FNWE24PPJ	1-1/2"	3.68 ± 0.12	2.89 ± 0.12	1.50	0.14	0.98	2.01
FNWE24PPK	2"	4.25 ± 0.12	3.46 ± 0.12	2.00	0.14	0.98	2.50
FNWE24PPL	2-1/2"	4.80 ± 0.197	4.05 ± 0.197	2.50	0.14	0.98	2.95
FNWE24PPM	3"	5.51 ± 0.197	4.70 ± 0.197	3.00	0.14	0.98	3.50
FNWE24PPP	4"	6.75 ± 0.197	5.94 ± 0.197	4.00	0.14	0.98	4.45
FNWE24PPU	6"	9.02 ± 0.197	8.27 ± 0.197	6.00	0.14	0.98	6.34

FIGURE GE24C - Hex Hanger w/Vinyl Grommet Coupling

Material: 304 Stainless Steel
Grommet: Vinyl
Finish: Stainless




Catalog Number	Size	A	B	C ± 0.04	D ± 0.12	E ± 0.012	F ± 0.03	G ± 0.12
FNWE24CD	1/2"	2.93 ± 0.12	2.1 ± 0.12	0.81	0.50	0.14	1.00	1.00
FNWE24CF	3/4"	2.93 ± 0.12	2.14 ± 0.12	0.81	0.75	0.14	1.00	1.20
FNWE24CG	1"	3.13 ± 0.12	2.32 ± 0.12	0.81	1.00	0.14	0.98	1.48
FNWE24CJ	1-1/2"	3.68 ± 0.12	2.89 ± 0.12	0.81	1.50	0.14	0.98	2.01
FNWE24CK	2"	4.25 ± 0.12	3.46 ± 0.12	0.81	2.00	0.14	0.98	2.50
FNWE24CL	2-1/2"	4.80 ± 0.197	4.05 ± 0.197	0.81	2.50	0.14	0.98	2.95
FNWE24CM	3"	5.51 ± 0.197	4.70 ± 0.197	0.81	3.00	0.14	0.98	3.50
FNWE24CP	4"	6.75 ± 0.197	5.94 ± 0.197	0.81	4.00	0.14	0.98	4.45
FNWE24CU	6"	9.02 ± 0.197	8.27 ± 0.197	0.81	6.00	0.14	0.98	6.34

SANITARY STAINLESS SYSTEMS

FIGURE GE24 - Hex Hanger w/Vinyl Grommet

Material: 304 Stainless Steel
Grommet: Vinyl
Finish: Stainless



Catalog Number	Size	A	B	D ± 0.12	E ± 0.012	F ± 0.03	G ± 0.12
FNWE24D	1/2"	2.93 ± 0.12	2.1 ± 0.12	0.50	0.14	1.00	1.00
FNWE24F	3/4"	2.93 ± 0.12	2.14 ± 0.12	0.75	0.14	1.00	1.20
FNWE24G	1"	3.13 ± 0.12	2.32 ± 0.12	1.00	0.14	0.98	1.48
FNWE24J	1-1/2"	3.68 ± 0.12	2.89 ± 0.12	1.50	0.14	0.98	2.01
FNWE24K	2"	4.25 ± 0.12	3.46 ± 0.12	2.00	0.14	0.98	2.50
FNWE24L	2-1/2"	4.80 ± 0.197	4.05 ± 0.197	2.50	0.14	0.98	2.95
FNWE24M	3"	5.51 ± 0.197	4.70 ± 0.197	3.00	0.14	0.98	3.50
FNWE24P	4"	6.75 ± 0.197	5.94 ± 0.197	4.00	0.14	0.98	4.45
FNWE24U	6"	9.02 ± 0.197	8.27 ± 0.197	6.00	0.14	0.98	6.34

Type	Page
Clamps	2-12
Elbows	12-14
Tees	15-20
Ferrules	20-22
Gaskets	23
Pipe	26
Hanger	27

NOTES

[illegible]



[FNW.COM](https://fnw.com) / [FERGUSON.COM](https://ferguson.com)

The contents of this publication are presented for information purposes only, and while effort has been made to ensure their accuracy, they are not to be construed as warranties or guarantees, expressed or implied, regarding the products or services described herein or their use or applicability. All sales are governed by our terms and conditions, which are available on request. We reserve the right to modify or improve the designs or specifications of our products at any time without notice. Always verify that you have the most recent product specifications or other documentation prior to the installation of these products.